



Federal Communications Commission

Approved by OMB
3060-0999
See instructions for
public burden estimate.

Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: January 1, 2015 - December 31, 2015

Filing Confirmation Number: 0007096694

Filing Deadline: January 15, 2016

FRN: 0015040637

Filing Date: 01/14/2016 01:43 PM

General Report Information

Type of Company

Service Provider

De Minimis Exception

Did you offer any handsets to subscribers in the United States during the reporting period? Yes

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? Yes

Were you a small entity at any time during the three years prior to the end of the reporting period?

Date that you ceased to be a small entity?

Company Information

Company Name: Syringa Wireless, LLC
Brand Names: Syringa Wireless, LLC
PO Box: 1117
Street Address: 233 N Main
City: Pocatello
State: ID
Zip Code: 83204

Contact Name: Scott Dike
Contact Phone: (208) 830-6996
Contact Fax: (208) 478-1103
Contact Email: sdike@syringawireless.com

Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? Yes

Agent Name: Bennet & Bennet, PLLC
PO Box:
Street Address: 6124 MacArthur Boulevard
City: Bethesda
State: MD

Contact Name: Robert Silverman
Contact Phone: (202) 371-1500
Contact Fax: (202) 371-1558
Contact Email: rsilverman@bennetlaw.com

Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

Yes

Explain:

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

Yes

Explain:

Do all handsets that are capable of use for Voice over LTE, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over VoLTE, include language disclosing that they were not tested with respect to this operation?

Yes

Explain:

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels.

Yes

Website address: www.syringawireless.com/lang/en/support/hearing_aid_info/

Explain:

Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Syringa Wireless, LLC maintains a public website displaying its entire selection of handsets and devices, including those that are HAC-compliant. Syringa sales staff is trained to assist existing and prospective customers in identifying HAC-compliant handsets and devices. Handset packaging inserts or operational manuals also provide information. Customers are also directed to www.accesswireless.org/Disability-Categories/Hearing.aspx and other websites dedicated to HAC education.

Methodology for Functionality Levels

Syringa offers HAC compliant handsets and devices in all major price and feature categories, including low-cost and

features (generally less than \$100); moderate-cost and features (generally \$100-\$250); and high-end/feature rich features (generally greater than \$250). At least one HAC-compliant handset or device with features and services and typical of its price range can be found that meets each customers price range.

Report Remarks

As of October 1, 2015, Syringa Wireless, LLC ceased the sale and offering of handsets to subscribers. As of December 31, 2015, Syringa has ceased operations and is no longer providing wireless communications services.

You have reported the following handset model summary information.

Total number of handsets offered: 14

Air Interface	Fully Hearing Aid Compatible Number Percent		Acoustic Coupling Compatible Only Number Percent		Non-Compliant Handsets Number Percent	Total by Air Interface
CDMA	14	100%				14
LTE	1	100%				1
Wi-Fi	8	100%				8

Handset 1: Apple iPhone 5c

Handset Maker

Apple

Handset Model Name

iPhone 5c

FCC ID

BCG-E2644A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High End/ Feature Rich

Remarks

Handset 2: Apple iPhone 5s

Handset Maker

Apple

Handset Model Name

iPhone 5s

FCC ID

BCG-E2642A

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High End/ Feature Rich

Remarks

Handset 3: Apple iPhone 6

Handset Maker

Apple

Handset Model Name

iPhone 6

FCC ID

BCG-E2816A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High End/ Feature Rich

Remarks

Handset 4: Apple iPhone 6+

Handset Maker

Apple

Handset Model Name

iPhone 6+

FCC ID

BCG-E2817A

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

2.4 GHz Wi-Fi

5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High End/ Feature Rich

Remarks

Handset 5: LG AS730 Optimus Select

Handset Maker

LG

Handset Model Name

AS730 Optimus Select

FCC ID

ZNFAS730

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High end/feature rich

Remarks

Handset 6: Motorola V3m

Handset Maker

Motorola

Handset Model Name

V3m

FCC ID

IHDT56FT1

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Cost

Remarks

Handset 7: Motorola W845 Quantico

Handset Maker

Motorola

Handset Model Name

W845 Quantico

FCC ID

IHDT56KS1

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Handset 8: Motorola XT1031G

Handset Maker

Motorola

Handset Model Name

XT1031G

FCC ID

IHDT56PF2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz LTE
5.0 GHz LTE

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M3

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Handset 9: Motorola XT1049

Handset Maker

Motorola

Handset Model Name

XT1049

FCC ID

IHDT56PB2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

High End/ Feature Rich

Remarks

Handset 10: Motorola XT556 DEFY XT

Handset Maker

Motorola

Handset Model Name

XT556 DEFY XT

FCC ID

IHDT56NC2

Air Interfaces/Frequency Bands

850 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Handset 11: Samsung R270 Chrono 2

Handset Maker

Samsung

Handset Model Name

R270 Chrono 2

FCC ID

A3LSCHR270

Air Interfaces/Frequency Bands

850 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T4

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Low Cost

Remarks

Handset 12: Samsung R480 Freeform 5

Handset Maker

Samsung

Handset Model Name

R480 Freeform 5

FCC ID

A3LSCHR480

Air Interfaces/Frequency Bands

800 MHz CDMA
1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Handset 13: Samsung R720**Handset Maker**

Samsung

Handset Model Name**FCC ID**

R720

A3LSCHR720

Air Interfaces/Frequency Bands

850 MHz CDMA
1700 MHz CDMA
1900 MHz CDMA
2.4 GHz Wi-Fi
5.0 GHz Wi-Fi

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Handset 14: SONIM XP3400S Armor S

Handset Maker

SONIM

Handset Model Name

XP3400S Armor S

FCC ID

WYPC21F007AA

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 01/15 to 09/15

Ratings

M-Rating: M4

T-Rating: T3

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Functionality Level

Moderate

Remarks

Certification

This Report has been certified by:

Robert A Silverman Authorized Agent

01/14/2016 01:43 PM